

# Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

### FOREIGN AND INSULAR.

#### AUSTRALIA.

Plague in Sydney from November 14, 1901, to April 22, 1902

SYDNEY, NEW SOUTH WALES, April 22, 1902.

SIR: I forward you the latest official statement as to bubonic plague in Sydney.

34The theory of the disease is, that it is not contagious nor transmissible except by inoculation, and that it originates with the rats, and is communicated by fleas which leave the dead rats for human beings.

There is no alarm shown here or any cessation of business or travel; yet every effort possible is made by the health board to stamp out the disease

The process is to kill the rats and render all houses rat proof. Destruction of rats is by poison and traps. Ships are fumigated inward coming or outward going.

Respectfully,

ORLANDO H. BAKER, United States Consul.

Hon. Assistant Secretary of State.

#### [Inclosure.]

SYDNEY, NEW SOUTH WALES, April 12, 1902. Bubonic plague in Sydney, 1901-1902, first case, November 14, 1901.

#### Bulletin for week ended on Saturday, April 12, 1902:

Remaining under treatment May 4, 1902		38
Admitted during week		4
Died during week		
Discharged recovered during week		9
Remaining under treatment April 12, 1902	· · · · · · · · · · · · · · · · · · ·	33
Summary—		
Total cases to April 12, 1902		96
Total deaths		$^{26}$
Discharged recovered		37
One hundred and four cases, all told, to April 22, 1902.		
, , ,	G. H. KING,	

Secretary.

#### BRAZIL.

## Reports from Bahia.

## BAHIA, BRAZIL, April 7, 1902.

SIR: I beg leave to report that for the week ended April 5, 1902, there were reported 104 deaths in Bahia. The following were the chief causes of death: Aneurism, 3; arterio-selerosis, 2; bronchitis, 5; cirrhosis of liver, 3; diarrhea and dysentery, 6; erysipelas, 1; enteritis, 1; malarial fevers, 5; gastritis, 10; hepatitis, 3; elephantiasis, 1; meningitis, 3;

senile debility, 1; Bright's disease, 1; nephritis, 2; stillborn, 6; pneumonia, 1; peritonitis, 1; tetanus, 3; tuberculosis, 9, and other diseases, 37.

Respectfully,

ADOLPH HIRSCH, United States Vice-Consul.

Hon. SECRETARY OF THE TREASURY.

BAHIA, BRAZIL, April 14, 1902

SIR: I beg leave to report that for the week ended April 12, 1902, there were reported 88 deaths in Bahia. The following were the chief causes of death: Beriberi, 1; bronchitis, 4; cirrhosis of the liver, 2; diarrhea and dysentery, 3; eclampsia, 1; scrofula, 1; enteritis, 3; malarial fevers. 5; puerpural fever, 1; typhoid fever, 1; gastritis, 8; meningitis, 4; nephritis, 2; stillborn, 4; syphilis, 3; tetanus, 2; tuberculosis, 15, and from other causes, 28.

Respectfully,

ADOLPH HIRSCH, United States Vice Consul.

Hon. SECRETARY OF THE TREASURY.

[Inclosure.]

Vital statistics of Bahia for November and December, 1901.

	Novem- ber.	Decem- ber.	·	Novem- ber.	Decem- ber.
Maximum temperature	30	30.5	Deaths-Nationality-Cont'd.		
Minimum temperature	24.5	25.5	Portuguese	1	0
Average temperature	27.28	27, 95	Unknown	i	0
Average relative humidity	85. 97	85. 93	Causes of death—	1	U
Rainfall	37mm	56mm		8	177
Rainy days	6	4	Beriberi	î	17
Prevailing winds	(a)		Smallpox		0
Cases of infectious diseases—	(4)	( <b>b</b> )	Typhoid fever	1	5
			Whooping cough	1	4
Yellow fever	1 2	0	Yellow fever (doubtful)	0	1
Smallpox	2	1	Bright's disease	2	7
Lepers in hospital at close last			Bronchitis	12	16
month—			Cancer	7	2
Male	13	13	Cerebral hemorrhage	13	19
Female	5	5	Cirrhosis of liver	10	1
Left hospital	0	1	Diabetes	1	. 0
Births, alive—			Diarrhea and dysentery	32	39
Male	41	47	Diseases of circulatory sys-		-
Female	45	48	tem	34	25
Legitimate	45	58	Ecysipelas	4	ĩ
Illegitimate	41	37	Hepatitis	ó	4
Births, stillborn—		٠.	Influenza	ĭ	ō
Male	8	18	Intestinal obstruction	ô	2
Female	5	8	Malarial fevers	25	25
Marriages	26	53	Meningitis	4	6
Vaccinated by health depart-	-0.	0.5	Nonhaitic	7	10
ment during month	98	98	Nephritis Peritonitis	ó	
Deaths—	90	30	Proposic	9	2
Male	146	179	Pneumonia		4
Female	156	144	Parasitis, intestinal	.2	1
Nationality—	100	144	Senile debility	14	16
African	13	10	Syphilis	4	7
Duogilion	385	18	Tetanus, adult	2	1
Brazilian		301	Tetanus, neonatorum	. 0	.9
Danish	0	1	Tuberculosis, pulmonary	48	47
French	1	1	Tuberculosis, other	1	2
German	Ţ	0	Violent deaths	3	6
Italian	- 1	0	Other causes	54	40

a Prevailing winds, N. NE. NW.